



# STONELAND

## NATURAL STONES

COMPANY CATALOG  
I S T A N B U L

## ABOUT US



## STONELAND

is a Istanbul Turkey based manufacturer and exporter locate in Quanzhou China stone industry since 2012. We supply both domestic and oversea stone materials like marble, granite, travertine, onyx etc. It is a professional stone processing supplier. Our business scope including waterjet medallions, CNC carving, marble & granite, slabs cut-to-size for project and all kinds of special-shaped products etc. On behalf of Stoneland we always keep reliable quality in our mind, we are professional in materials selection, cutting, matching and inspecting cargo before we pack and load.



REPUBLIC OF FINE ARTS



# STONELAND

Stoneland not only have excellent science and technology band invested significant capital introduction. Stoneland has High- end equipments, reached the international advanced level.

Stoneland absorbs advanced foreign productive techniques and constantly makes innovations and strictly implements product inspection procedures so that each product of us is of the best quality and as a result, Stoneland enjoys a good reputation in regard to its excellent products.









## CONTENTS

---






<b>THASSOS</b>	WHITE EXTRA WHITE BIANCO LIMENAS WATERFALL SNOW WHITE
<b>VOLAKAS</b>	WHITE FLOWER
<b>KYKNOS</b>	WHITE
<b>ARISTON</b>	WHITE
<b>VIETNAM</b>	WHITE
<b>CALACATTA</b>	ORO CREMO R. VENATO VENA VERDE BORGHINI GOLDEN
<b>STATUARIO</b>	WHITE MIELE STATUARETTO
<b>CARRARA</b>	BIANCO GIOIA MARINACE VENATINO VENATO C - CD
<b>MIKA</b>	WHITE ORO



# THASSOS

Apparent specific weight	2830 kg/m <sup>3</sup>
Absorption coefficient	0.14 %wt
Compressive Strength	95 Mpa
Modulus of Rapture	12 Mpa
Abrasion Resistance	3.61 mm





**THASSOS**

**INSTITUTE OF SISMOLOGY - TURKMENISTAN**








THASSOS  
MARBLE QUARRY

# VOLAKAS



Mass Loss (%) 0.067  
Flexural Strength (N/mm<sup>2</sup>) 4.59  
Water Absorption (%) 0.32  
Compressive Strength (N/mm<sup>2</sup>) 106.1  
Real Density (Pr) Kg/m<sup>3</sup> 2791  
Apparent Density (Pb) Kg/m<sup>3</sup> 2836  
Open Porosity (Po) % 0.88  
Total Porosity (P) % 1.64  
Determination of abrasion resistance Loss (%) 0.28  
Determination of micro-hardness HV (average) 182.44





# KYKNOS

KYKNOS BLOCK



KYKNOS SLAB





Mass Loss (%) 0.213  
Flexural Strength (N/mm<sup>2</sup>) 4,9  
Water Absorption (%) 0.3  
Compressive Strength (N/mm<sup>2</sup>) 85.7  
Real Density (Pr) Kg/m<sup>3</sup> 2830  
Apparent Density (Pb) Kg/m<sup>3</sup> 2839  
Open Porosity (Po) % 1,3  
Total Porosity (P) % 0,78  
Determination of abrasion resistance Loss (%) 3.00  
Determination of micro-hardness HV (average) 196.93

# ARISTON

Marble Color: White  
Water Absorption: 0.23 By weight %  
Density: 2790 kg/m<sup>3</sup>  
Flexural Strength: 6.1 MPa  
Compressive Strength: 110 MPa







# VIETNAM WHITE




Marble Color: White  
Water Absorption: 0.23 By weight %  
Density: 2790 kg/m<sup>3</sup>  
Flexural Strength: 6.1 MPa  
Compressive Strength: 110 MPa

ASGABAT MALL





VIETNAM WHITE BLOCK



VIETNAM WHITE

# VIETNAM WHITE

TURKMENISTAN - CIRCUS OF HORSES






# VIETNAM WHITE

TURKMENISTAN - CIRCUS OF HORSES








TURKMENISTAN - CIRCUS OF HORSES  
VIETNAM WHITE



CIRCUS OF HORSES  
TURKMENISTAN







CALACATTA



**PROPERTY**

Water absorption  
Flexural strength  
Abrasion resistance  
Frost Resistance  
Bulk density  
Breaking load at dowel hole  
Compressive strength  
Open porosity

**VALUE**

0,10%  
10,2 Mpa  
26 mm  
Resistant  
2,72 g/cm<sup>3</sup>  
104,5 Mpa  
1300 N  
0,20%

# CALACATTA



ORO




CREMO



R. VENATO



VENA



VERDE



BORGHINI



GOLDEN





WHITE / MIELE / STATUARETTO

# STATUARIO

# STATUARIO

stone data sheet


Origin Country	Italy
Stone Density	2.69 t/ m <sup>3</sup>
Primary Color	White
Available Thickness	15-50 mm
Compressive Strength	18.265Mpa
Water Absorption	0.262%





# CARRARA

BIANCO  
GIOIA  
MARINACE  
VENATINO  
VENATO  
C - CD



# CARRARA

stone data sheet

Origin Country: Italy  
Stone Type: Marble  
Primary Color: White  
Surface Finished: Honed, Polished, Flamed, etc  
Available Thickness: 18mm, 20mm, 30mm  
Water Absorption: 0.10/%  
Stone Density: 2710kg/m<sup>3</sup>  
Compressive Strength: 127.0MPa



STONELAND



CARRARA  
NUSAY HOTEL



NUSAY HOTEL  
CARRARA COLUMN

NUSAY HYEMANPARASY



STONELAND



## PHYSICAL & MECHANICAL PROPERTIES

Apparent Specific Weight kg/m <sup>3</sup>	2820,00
Compressive Strength Kg/cm <sup>2</sup>	1172,67
Absorption Coefficient	%3,00
Abrasion Resistance mm	3,38

**MIKA**  
MIKA - MIKA ORO





11702



STONELAND





STONELAND

---

**troika**



OUR  
REFERENCES





STONELAND

## DRAMA THEATER



INSTITUTE OF SISMOLOGY - TURKMENISTAN







STONELAND

RUHYET KÖŞGİ - ASGABAT



SPORT MINISTRY COMPLEX





STONELAND

## SHAMEKAN HOTEL - TURKMENBASHI





DASOGUZ HOTEL







STONELAND

VIETNAM WHITE  
GORJOW RESIDENTIAL BUILDINGS



VIETNAM WHITE  
ADMINISTRATIVE BUILDING GORJOW





STONELAND

VIETNAM WHITE  
GORJOW RESIDENTAL BUILDINGS



VIETNAM WHITE








STONELAND

THASSOS MARBLE APPLICATION





VIETNAM  
ASGABAT MALL



TURKMENBASHI CITY HOSPITAL





MONUMENT



BIANCO SIVEC  
YANARDAG MONUMENT





# VIETNAM WHITE

AK GORJOW MALL - TURKMENISTAN





**THASSOS**  
NATIONAL FLAG MONUMENT  
GORJOW- TURKMENISTAN



# VIETNAM WHITE

GORJOW HEALTH HOME - TURKMENISTAN





# THASSOS

TÜRKMEN - TÜRK UNIVERSITY - TURKMENISTAN








---

**OUR**  
CERTIFICATES





#### **HEAD OFFICE**

Cevizli Mah. Zuhal Cad. Ritim Istanbul No:46-1 A1 Blok D:316  
Maltepe Istanbul - TÜRKİYE + 90 216 759 21 33  
info@stonelandlimited.com

#### **TURKMENISTAN REPRESENTATIVE**

Telekeçi Rejepow M.M Seyrek Daş  
Aşgabat şäher. Bagtyýarlyk etrap 2035 (Kemine) köçesi,  
Jaý 160, otag 19. +993 61282280 seyrekdas@gmail .com